

Our ref: FOI 26/12

20<sup>th</sup> March 2026

Dear [REDACTED]

Thank you for your request of 12<sup>th</sup> March 2026. We have provided our response below:

**Please would you provide an update on the attached FOI 25/73 where you say the contract ended 31/12/25?**

- 1. Number of Multi-functional devices at Royal Parks?** 17 MFD's
- 2. Name of current supplier/s?** Canon
- 3. Contract start date?** Estimated new start date is 01/04/2026
- 4. Contract end date?** 31/03/2031
- 5. Is there an option to extend this contract?** No (Hardware will reach end of life)
- 6. Does Royal Parks have a print room? If yes, when does the contract end?** No
- 7. Does Royal Parks have additional printers? if yes how many and is there a contract?** 9 printers - Ad Hoc small value printers purchased individually as needed. Various suppliers - No contract.
- 8. What route to market – open tender or framework, if yes which one used?** CCS RM6361 Framework - Crown Commercial Service.

I hope this information satisfies your request.

If you are dissatisfied with the handling of your request, you have the right to ask for an internal review. Internal review requests should be submitted within two months of the date of receipt of the response to your original email, quoting the reference at the top of the page and should be addressed to:

Records Manager  
The Royal Parks  
The Old Police House  
Hyde Park  
London  
W2 2UH

Email: [records@royalparks.org.uk](mailto:records@royalparks.org.uk)

If you are not content with the outcome of the internal review, you have the right to apply directly to the Information Commissioner for a decision, quoting the reference at the top of the page. The Information Commissioner can be contacted at:



Information Commissioner's Office  
Wycliffe House  
Water Lane  
Wilmslow  
Cheshire  
SK9 5AF

Yours sincerely,

**Records Manager** | [records@royalparks.org.uk](mailto:records@royalparks.org.uk) | [www.royalparks.org.uk](http://www.royalparks.org.uk)

The Old Police House | Hyde Park | London | W2 2UH