

What Control methods are being used for each species	Canada Geese	None
	Crows	None
	Fallow Deer	Deer Strategy
	Foxes	None
	Gray lag Geese	None
	Jackdaws	None
	Magpies	None
	Parakeets	None
	Pigeon (Feral)	Shot
	Rabbits	Shot
	Rats	Trapped using humane kill traps
	Red Deer	Deer Strategy
	Squirrel	Trapped – Despatched Humanly
What evidence led to that decision to cull (for each species)	Fallow Deer	Deer Strategy
	Pigeon (Faral)	Hygiene around workplaces and café
	Rabbits	Plant Damage in Woodland Gardens
	Rats	Rats evident around food sources (Animal feed)
	Red Deer	Deer Strategy
	Squirrel	Plant Damage in Woodland Gardens
What evidence of squirrel damage or other damage by animals of any of these species have been collected.	Pigeon	Hygiene around workplaces and café
	Rabbit	Plant damage in Woodland Gardens

	Rats	Rats evident around food sources (Deer feed)
	Squirrel	Plant Damage in Woodland Gardens
How was the evidence collected and quantified	As Species above	The gardening team observe the damage on the plant material, report to TRP staff, who investigate, then report it to the wildlife officer
What assessment has been made of the effectiveness of the programme		Feedback from Woodland Gardeners, Café Staff and Mystery Diners.
Was fertility control considered for any species		There is no way of discriminating between pest species and other mammals in the park.
If fertility control was rejected on what grounds (for any species)		As above
If fertility control were freely available, would you use it (for any species)		No for reasons above